

L Numb r	Hits	Search Text	DB	Time stamp
150	13	((385/77).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:01
151	4604	(v?groove or u?groove or (v adj groove) or (u adj groove)) and (optic\$4 with fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:02
155	133	((v?groove or u?groove or (v adj groove) or (u adj groove)) and (optic\$4 with fiber)) and ((adhe\$ or epoxy) with fiber with (end or temina\$))) and recess\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:05
156	15	((v?groove or u?groove or (v adj groove) or (u adj groove)) and (optic\$4 with fiber)) and ((adhe\$ or epoxy) with (water or moisture) with absor\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:19
152	502	((v?groove or u?groove or (v adj groove) or (u adj groove)) and (optic\$4 with fiber)) and ((adhe\$ or epoxy) with fiber with (end or temina\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:21
154	360	((v?groove or u?groove or (v adj groove) or (u adj groove)) and (optic\$4 with fiber)) and ((adhe\$ or epoxy) with fiber with (end or temina\$))) and (extend\$ or recess\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:25
157	209	((v?groove or u?groove or (v adj groove) or (u adj groove)) and (optic\$4 with fiber)) and ((adhe\$ or epoxy or glue or resin) with end with face)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:22
159	9	((v?groove or u?groove or (v adj groove) or (u adj groove)) and (optic\$4 with fiber)) and ((adhe\$ or epoxy or glue or resin) with '10' with micron)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:32
160	63	((v?groove or u?groove or (v adj groove) or (u adj groove)) and (optic\$4 with fiber)) and ((adhe\$ or epoxy or glue or resin) with micron)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 12:33
-	693	(385/137).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 10:14

-	390	(385/80).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 10:14
-	256	(385/83).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 10:29
-	340	(385/85).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 10:29
-	183	(385/86).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 10:29
-	168	(385/87).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 10:30
-	462	(385/76).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 10:30
-	299	(385/77).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 10:30
-	136	((385/137).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:54
-	31	((385/80).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:54
-	118	((385/83).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:57

-	25	((385/85).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:54
-	12	((385/86).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:54
-	6	((385/87).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:54
-	21	((385/76).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:54
-	12	((385/77).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:54
-	18054	fiber with array	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 08:24
-	4738	(fiber with array) and adhe\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 11:18
-	778	((fiber with array) and adhe\$) and recess\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 12:42
-	90	((fiber with array) and adhe\$) and recess\$) and substrate and optic\$ and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 11:04
-	130	((fiber with array) and adhe\$) and (young\$ with modul\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 11:09

-	15	(((fiber with array) and adh \$) and (young\$ with modul\$)) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 11:42
-	30	(fiber with array) and (adhe\$ with young\$ with modul\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 11:22
-	111	((fiber with array) and adhe\$) and (water with absorpt\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 11:43
-	5	(((fiber with array) and adhe\$) and (water with absorpt\$)) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 11:43
-	1037	((fiber with array) and adhe\$) and ag\$3 and expan\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 11:50
-	100	(((fiber with array) and adhe\$) and ag\$3 and expan\$4) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 11:51
-	1134	((fiber with array) and adhe\$) and (ash\$3 or etch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 12:09
-	231	(((fiber with array) and adhe\$) and (ash\$3 or etch\$3)) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 12:11
-	82	(((fiber with array) and adhe\$) and (ash\$3 or etch\$3)) and (v?groove or (v adj groove))) and recess\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 12:11
-	468	((fiber with array) and adhe\$) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 12:42

-	4	(((fiber with array) and adhe\$) and (v?groove or (v adj groove))) and ash\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 12:46
-	16	(((fiber with array) and adhe\$) and (v?groove or (v adj groove))) and swell\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 12:53
-	4	(((fiber with array) and adhe\$) and (v?groove or (v adj groove))) and exfoliat\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 12:56
-	22	(((fiber with array) and adhe\$) and (v?groove or (v adj groove))) and volume with increas\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 13:01
-	29	matsumoto and fukuyama and (fiber with array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 13:02
-	152	((385/137).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 13:46
-	36	((385/80).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 13:46
-	124	((385/83).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 13:46
-	26	((385/85).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 13:46
-	13	((385/86).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 13:46

-	6	((385/87).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 13:46
-	22	((385/76).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 13:46
-	13	((385/77).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 13:47
-	152	((385/137).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:55
-	36	((385/80).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:56
-	36	((385/80).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:57
-	124	((385/83).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:57
-	26	((385/85).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:58
-	13	((385/86).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:58
-	6	((385/87).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:58

-	22	((385/76).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:59
-	13	((385/77).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/13 16:59
-	1848	(v?groove or (v adj groove)) and (optic\$4 with fiber) and (adhe\$ or epoxy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 14:19
-	7	(v?groove or (v adj groove)) and (optic\$4 with fiber) and ((adhe\$ or epoxy) with recess\$ with face)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 14:35
-	14	(v?groove or (v adj groove)) and (optic\$4 with fiber) and (adhe\$ or epoxy) and (recess\$ with (micron or micrometer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 14:41
-	44	(v?groove or (v adj groove)) and (optic\$4 with fiber) and (adhe\$ or epoxy) and ((micron or micrometer) with face)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 14:42
-	206	((385/137).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:05
-	44	((385/80).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:05
-	142	((385/83).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:05
-	29	((385/85).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:05

-	.13	((385/86).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:05
-	7	((385/87).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:05
-	23	((385/76).CCLS.) and (v?groove or (v adj groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:05